#### REPORT DOCUMENTATION PAGE

Form Approved OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching estimate sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway. Suffe 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (D	D-MM-YYYY)	2. REPORT TYPE		3.	DATES COVERED (From - To)
4. TITLE AND SUBTI	TLE	Technical Papers		5a	. CONTRACT NUMBER
	· · · · · · · · · · · · · · · · · · ·			<u> </u>	- D46(1-97-6-0064 . GRANT NUMBER
(	1			35	. GRANT NUMBER
	7/ea	250	see "	5c.	. PROGRAM ELEMENT NUMBER
6. AUTHOR(S)		Se :	Λ		. PROJECT NUMBER
	$\Omega$	Ita ch	od/	50	/373 . Task number
				.   36.	20NQ
				5f.	WORK UNIT NUMBER
		0) AND ADDDESO(70)			346245
7. PERFORMING OR	GANIZATION NAME(	S) AND ADDRESS(ES)			PERFORMING ORGANIZATION
Air Force Research	Laboratory (AFMO	C)			
AFRL/PRS					
5 Pollux Drive Edwards AFB CA	03524_7048				
Edwards Arb CA	93324-7040				
9. SPONSORING / M	ONITORING AGENC	NAME(S) AND ADDRE	SS(ES)		. SPONSOR/MONITOR'S
				AC	CRONYM(S)
Air Force Research	Laboratory (AFMC	C)			
AFRL/PRS	•			11	. SPONSOR/MONITOR'S
5 Pollux Drive	2000 1 500 10				NUMBER(S)
Edwards AFB CA 9	93524-7048			101	lease ou oftenhed
12. DISTRIBUTION /	AVAILABILITY STAT	EMENT			
Approved for public	c release; distributio	on unlimited.			
13. SUPPLEMENTAR	RY NOTES				
14. ABSTRACT					
			•		•
		•		<b></b>	
			71	りりてりょ	77 177
			۷.	וטכטט	27 177
				·	
15. SUBJECT TERMS	6				
16. SECURITY CLAS	SIFICATION OF:	<del></del>	17. LIMITATION	18. NUMBER	19a. NAME OF RESPONSIBLE
			OF ABSTRACT	OF PAGES	PERSON Leilani Diabardaan
a. REPORT	b. ABSTRACT	c. THIS PAGE			Leilani Richardson  19b. TELEPHONE NUMBER
Unclassified	Unclassified	Unclassified	(A)		(include area code) (661) 275-5015
unciassified	Linciperitied	Lincingstifted		i	1 100112735013

Author(s): John Michael Fite
Circle name of presenter. If joint govt/contractor effort, what% work performed by the govt author?
Title High Performance Hail Thruster Ground Demo
Source: In-House Project (AF 6.1/6.2/6.3/6.5) / Contract F04611-97-C-Other SBIR (Y/N)
JON: 437300NQ Project Mgr/Div/Ext John Widnael Fife / PRRS/5-6792
Release Format: Abstract /Paper /Oral Presentation /VuGraphs/Poster Session / Tech Report /Other
Security Classification:
If classified, classified by
Declassify on
Disclosure: Public Release/Limited Release/Foreign Release (See Table)
Forum/Audience: AIAA Space Technology Conference Meeting Location and Date: 50st 28-30 Submission Deadline: 50st 28
Prior Release Authorization (insert PA #): Date:
STINFO tracking number <u>AFRL-PR-ED-TP-FY9</u> 9-0182 Date assigned <u>37 Sep 99</u>

### 

# Air Force Research Laboratory

Spacecraft Propulsion Branch


Dr. John Michael Fife

September, 1999

**DISTRIBUTION STATEMENT A**Approved for Public Release
Distribution Unlimited



- Payoffs
- System Concept
- Milestones
- Hall System Development
- Summary
- Conclusions



**OBJECTIVE:** To develop and demonstrate the electric propulsion technology needed to meet the IHPRPT Phase I Goal

#### Goal

25%

**Efficiency** 

7200 hrs

5.7 kg/kW

Specific Mass

lsp


Life

1801\* seconds

\* 300 V PPU

#### **Orbit Raising** Missions

- LEO Spiral Transfer (SBR, SBL)
  - Apogee Insertion (GEO comm)



Partial EP Transfer

## Spiral Transfer Payoffs (4 kWe):

- + 11 % LEO Atlas IIAS payload
- **SBR** to 850 km (121 Days)

### Apogee Payoffs (15 kWe):

- + 34% GEO Atlas IIAS payload
- \$32 M Net launch Savings (105

### Repositioning

Supports MAP deficiencies

- Repositioning Capability
- Recovery, repair, redeployment
- Global Mobility

#### Pavoffs

- 17% less fuel or more moves (EP baseline)
- Faster move vs. chem
- 2 X faster for same propellant

### Stationkeeping

#### Mission

GEO Communications

#### Payoffs

17% less fuel / more life (EP baseline)


13% less power for same thrust (EP baseline)





## **MILSATCOM Advanced EHF**

ROVANCED EHE


- Next Milstar System
- Approved Extended Duration Orbit Transfer
- Hall System Supports NSSK and Orbit Raising
- FY01 Tech Freeze
- **FY06 Anticipated Launch** "JOINT PROGRAMMOFFICE









Section of the sectio



- 1. Electrons emitted from the cathode travel toward the anode.
- 2. Electrons are impeded in the discharge channel by a strong radial magnetic field, causing a strong axial electric field to concentrate in this region.
- 4. This electric field heats the electrons, which subsequently ionize gaseous propellant (xenon) emitted near the anode.
- discharge channel, exiting the device at 6. The ionized gas accelerates axially high speed, thus producing thrust. through the electric field in the



Current results: Isp = 1801, Effic = 58%





Current breadboard results: Effic > 94.4%


## System demonstration


hardware

SS/Loral integration hardware









System qualification level equivalent to SPT-100 flight qualification

EDB/Fakel flight-like thruster - qualification testing

フとア





SS/Loral flight-like PPU - non space rated parts

	Date	Accomplishment
	01/99	Phase I Thruster Development
	01/99	PPU Breadboard Development
10,040 +000 of +0010,0	03/88	Thruster CDR
Project is cost silated	66/60	Thruster Performance, EMI, Contamination,
A AO, Doid by Controctor		Plume Testing in USA
44% raid by contractor.	10/99	PPU CDR
Atlactic Doctor	01/00	Thruster Thermal Integrated Test
August Desearch	01/00	PPU Thermal Integrated Test
Corporation	05/00	System Integrated Functional Test
	05/00	7200-Hour Life Test Begins at AFRL EP Lab
	12/00	Project Complete

Completed


MILSATCOM Advanced EHF Tech Freeze

**MILSATCOM Launch** 

90/¿¿

??/01

Not Yet Completed



SPT-140 Demonstration Model (DM)

Power: 4.5 kW

Thrust: 296 mN

Efficiency: 58%

Tests Completed:

Vibration

Shock

Thermal Cycling

• EMC


Performance

Contamination

• >1100 hr firing








PPU-140 Breadboard Anode Module

Power: 4.5 kW


PPU Mission Average Efficiency: 94.4%

Status:

- Breadboard Testing Completed
- Brassboard Anode Module Design Completed, Fabricated



- Supports critical DoD missions
- MILSATCOM Advanced EHF Opportunity
- Orbit Raising, Repositioning, Stationkeeping
- MAP Deficiencies
- Exceeds IHPRPT Phase I ES goal
- Demonstrates Flight Propulsion System



# Future Military Constellation Opportunities MILSATCOM Advanced EHF GMTI SBR to use 10-80 satellites

## Efficient Orbit Raising ~ 100 days

- + 11% payload to LEO
- + 34% payload to GEO

#### Improved Stationkeeping 17% less propellant than EP Baseline

# Supports Mission Area Plan (MAP) deficiencies

- Repositioning
- Recovery, Repair, Redeployment
- Global Mobility

